

POWERFLEX™ PRO

0.035 PTA Catheter


Cordis
A Cardinal Health company

Key Product Characteristics

POWERFLEX™ PRO Catheter is a workhorse solution that delivers

Advanced Crossability Versatility

POWERFLEX™ PRO PTA catheter is intended to dilate stenoses in iliac, femoral, ilio-femoral, popliteal, infra popliteal and renal arteries and for the treatment of obstructive lesions of native or synthetic arteriovenous dialysis fistulae. The device is also indicated for post-dilation of balloon expandable and self-expanding stents in the peripheral vasculature.



Profile

- Wide Array of 5F Compatible Sizes (7 mm x 100 mm, 8 mm x 80 mm & 6 mm x 220 mm)
- 3 - 12 mm Diameters
- Lengths up to 220 mm
- 80 cm & 135 cm Shaft

Power

- High Rated Burst Pressure up to 18 ATM
- Post Dilatation

Performance

- 0.035" OTW PTA catheter.
- Fitting into small CSIs
- Reduced deflation time

Key Product Facts:

**Shaft Material –
Nylon**

Dual Lumen, flexible shaft with good kink resistant characteristics. 5.3F outer diameter; usable length of 80 cm and 135 cm.

**Coating –
MDX (Silicone)**

Distal shaft (30 cm) and distal (30 cm) guide wire lumen. Balloon is not coated.

**RBP –
up to 18 ATM**

3 - 4 mm - 18 ATM; 5 - 7 mm x 40 mm - 15 ATM;
7 mm x 60 mm - 10 mm - 12 ATM; 12 mm - 8 ATM.

Marker Bands

Two radiopaque marker bands indicate the dilating section of the balloon and aid in balloon placement.

POWERFLEX™ PRO Catheter ordering codes

Balloon OD x Length (mm x cm)	Rated Burst Pressure (atm)	Recommended Sheath Fit (F)	Ordering Number	Usable Catheter Length (cm)	
				80	135
3 x 2	18	5	440-0302	S	
3 x 4	18	5	440-0304	S	X
3 x 6	18	5	440-0306	S	X
3 x 8	18	5	440-0308	S	X
3 x 10	18	5	440-0310	S	X
3 x 12	18	5	440-0312	S	X
3 x 15	18	5	440-0315	S	X
3 x 22	18	5	440-0322	S	X
4 x 2	18	5	440-0402	S	X
4 x 4	18	5	440-0404	S	X
4 x 6	18	5	440-0406	S	X
4 x 8	18	5	440-0408	S	X
4 x 10	18	5	440-0410	S	X
4 x 12	18	5	440-0412	S	X
4 x 15	18	5	440-0415	S	X
4 x 22	18	5	440-0422	S	X
5 x 2	15	5	440-0502	S	X
5 x 3	15	5	440-0503	S	
5 x 4	15	5	440-0504	S	X
5 x 6	15	5	440-0506	S	X
5 x 8	15	5	440-0508	S	X
5 x 10	15	5	440-0510	S	X
5 x 12	15	5	440-0512	S	X
5 x 15	15	5	440-0515	S	X
5 x 22	15	5	440-0522	S	X
6 x 2	15	5	440-0602	S	X
6 x 3	15	5	440-0603	S	
6 x 4	15	5	440-0604	S	X
6 x 6	15	5	440-0606	S	X
6 x 8	15	5	440-0608	S	X
6 x 10	15	5	440-0610	S	X
6 x 12	15	5	440-0612	S	X
6 x 15	15	5	440-0615	S	X
6 x 22	15	5	440-0622	S	X
7 x 2	15	5	440-0702	S	X
7 x 3	15	5	440-0703	S	
7 x 4	15	5	440-0704	S	X
7 x 6	12	5	440-0706	S	X
7 x 8	12	5	440-0708	S	X
7 x 10	12	6	440-0710	S	X
8 x 2	12	5	440-0802	S	X
8 x 3	12	5	440-0803	S	
8 x 4	12	5	440-0804	S	X
8 x 6	12	5	440-0806	S	X
8 x 8	12	5	440-0808	S	X
8 x 10	12	6	440-0810	S	X
9 x 2	12	6	440-0902	S	X
9 x 3	12	6	440-0903	S	
9 x 4	12	6	440-0904	S	X
9 x 6	12	6	440-0906	S	X
9 x 8	12	7	440-0908	S	X
9 x 10	12	7	440-0910	S	X
10 x 2	12	6	440-1002	S	X
10 x 3	12	6	440-1003	S	
10 x 4	12	6	440-1004	S	X
10 x 6	12	7	440-1006	S	X
10 x 8	12	7	440-1008	S	X
10 x 10	12	7	440-1010	S	X
12 x 2	8	7	440-1202	S	X
12 x 3	8	7	440-1203	S	
12 x 4	8	7	440-1204	S	X
12 x 6	8	7	440-1206	S	X